

Ванны sous-vide без перемешивания SVC-14, SVC-28, SVC-4-22D

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>

SOUS-VIDE COOKER SVC-14 Unstirred

sous-vide digital bath with 14 litres capacity.



SALES DESCRIPTION

Unstirred compact digital bath.

- ✓ The entire case is constructed from high quality stainless steel.
- ✓ 14 litres capacity.
- ✓ 0.2°C sensitivity / 0.1°C uniformity.
- ✓ Precise temperatures.
- ✓ Using the same high precision controller found on all other Sammic sous-vide equipment, accuracy and repeatability are guaranteed. Actual temperature is clearly displayed to 0.1°C. If required, the integrated timer can be set between 1 minute and 99 hours.
- ✓ There is audio/visual notification at the end of the set period after which the bath still continues to operate at the set temperature.
- ✓ Current time and temperature settings are retained in memory even after 'power off'.
- ✓ High quality build and features.
- ✓ Temperatures can be easily and rapidly set with the push button, wipe clean control panel.
- ✓ If the water drops below the recommended minimum level or the unit is inadvertently switched on without being filled with water, 'FILL' appears on the display as a visual alert and gives run dry protection.
- ✓ Side lifting handles make it easy to carry the bath around the kitchen and the drain tap allows quick emptying for cleaning.
- ✓ The product is supplied with a stainless steel lid which has an easy grab insulated handle.
- ✓ The bath is also supplied with a removable stainless steel perforated shelf which provides effective distribution of heat uniformly throughout the chamber by convection.
- ✓ The product is powered from a standard 13 amp wall socket.

INCLUDES

- ✓ Drain tap.

ACCESSORIES

- Probe foam seal

SPECIFICATIONS

Temperature

Display precision: 0.01°C
Range: 95°C - 5°C
Control: PID-Adaptativo
Sensitivity: 0.2°C
Uniformity at 55°C: 0.1°C

Time

Resolution: 1'

General features

Capacity: 14 l
Total loading: 1000 W
Tap: yes

Internal dimensions: 300 mm x 300 mm x 150 mm
External dimensions (W x D x H): 431 mm x 377 mm x 290 mm

Crated dimensions
440 x 480 x 600 mm
Gross weight: 11 kg

AVAILABLE MODELS

5170000 Sous-vide SVC-14 230/50-60/1

* Ask for special versions availability

SOUS-VIDE COOKER SVC-28

28 litres capacity.



SALES DESCRIPTION

Unstirred digital bath.

- ✓ The entire case is constructed from high quality stainless steel.
- ✓ 28 litres capacity.
- ✓ 0.2°C sensitivity / 0.1°C uniformity.
- ✓ Precise temperatures.
- ✓ Using the same high precision controller found on all other Sammic sous-vide equipment, accuracy and repeatability are guaranteed. Actual temperature is clearly displayed to 0.1°C. If required, the integrated timer can be set between 1 minute and 99 hours.
- ✓ There is audio/visual notification at the end of the set period after which the bath still continues to operate at the set temperature.
- ✓ Current time and temperature settings are retained in memory even after 'power off'.
- ✓ High quality build and features.
- ✓ Temperatures can be easily and rapidly set with the push button, wipe clean control panel.
- ✓ If the water drops below the recommended minimum level or the unit is inadvertently switched on without being filled with water, 'FILL' appears on the display as a visual alert and gives run dry protection.
- ✓ Side lifting handles make it easy to carry the bath around the kitchen and the drain tap allows quick emptying for cleaning.
- ✓ The product is supplied with a stainless steel lid which has an easy grab insulated handle.
- ✓ The bath is also supplied with a removable stainless steel perforated shelf which provides effective distribution of heat uniformly throughout the chamber by convection.
- ✓ The product is powered from a standard 13 amp wall socket.

INCLUDES

- ✓ Drain tap.

ACCESSORIES

- Probe foam seal

SPECIFICATIONS

Temperature

Display precision: 0.01°C
Range: 95°C - 5°C
Control: PID-Adaptativo
Sensitivity: 0.2°C
Uniformity at 55°C: 0.1°C

Time

Resolution: 1'

General features

Capacity: 28 l
Total loading: 1500 W
Internal dimensions: 300 mm x 505 mm x 200 mm
External dimensions (W x D x H): 332 mm x 652 mm x 290 mm
Tap: yes

AVAILABLE MODELS

5170005 Sous-vide SVC-28 230/50-60/1

5170006 Sous-vide SVC-28 120/60/1

* Ask for special versions availability

SOUS-VIDE COOKER SVC-4-22D

Two tanks of 22 and 4 litres capacity.



SALES DESCRIPTION

Unstirred sous-vide digital bath.

- ✓ The entire case is constructed from high quality stainless steel.
- ✓ Two tanks of 4 and 22 litres.
- ✓ 0.2°C sensitivity / 0.1°C uniformity.
- ✓ Precise temperatures.
- ✓ Using the same high precision controller found on all other Sammic sous-vide equipment, accuracy and repeatability are guaranteed. Actual temperature is clearly displayed to 0.1°C. If required, the integrated timer can be set between 1 minute and 99 hours.
- ✓ There is audio/visual notification at the end of the set period after which the bath still continues to operate at the set temperature.
- ✓ Current time and temperature settings are retained in memory even after 'power off'.
- ✓ High quality build and features.
- ✓ Temperatures can be easily and rapidly set with the push button, wipe clean control panel.
- ✓ If the water drops below the recommended minimum level or the unit is inadvertently switched on without being filled with water, 'FILL' appears on the display as a visual alert and gives run dry protection.
- ✓ Side lifting handles make it easy to carry the bath around the kitchen and the drain tap allows quick emptying for cleaning.
- ✓ The product is supplied with a stainless steel lid which has an easy grab insulated handle.
- ✓ The bath is also supplied with a removable stainless steel perforated shelf which provides effective distribution of heat uniformly throughout the chamber by convection.
- ✓ The product is powered from a standard 13 amp wall socket.

INCLUDES

- ✓ Drain tap.

ACCESSORIES

- Probe foam seal

SPECIFICATIONS

Temperature

Display precision: 0.01°C

Range: 95°C - 5°C

Control: PID-Adaptativo

Sensitivity: 0.2°C

Uniformity at 55°C: 0.1°C

Time

Resolution: 1'

General features

Capacity: 4+22 l +

Total loading: 1900 W

Internal dimensions:

(1) 152 mm x 300 mm x 150 mm

(2) 505 mm x 300 mm x 150 mm

External dimensions (W x D x H): 152 mm x 300 mm x 150 mm

Crated dimensions

450 x 480 x 860 mm

Gross weight: 18 kg

AVAILABLE MODELS

5170010 Sous-vide SVC4-22D 230/50-60/1

* Ask for special versions availability

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>