

# Коммерческие автоматические овощерезки СА-2V, СА-3V, СА-4V

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [sir@nt-rt.ru](mailto:sir@nt-rt.ru) || сайт: <https://sammic.nt-rt.ru/>

# VEGETABLE PREPARATION MACHINE CA-2V

Compact, variable speed vegetable slicer. "Brushless" technology: maximum efficiency.



guides the product, avoiding splashes.

- ✓ Adjustable product ejection direction to adapt to the workflow in the preparation area.
- ✓ Recessed cored relief allows for any position in the kitchen, side walls, back wall, light and compact, this machine can fit.
- ✓ The electronic control panel is extremely simple to operate.

## Maintenance, safety, hygiene

- ✓ Lever and lid easily removable for cleaning purposes.
- ✓ Stainless steel, dishwasher-safe discs. The removable blades allow for an even more thorough and efficient cleaning.
- ✓ Combination of safety systems: head, cover, power switch.
- ✓ Complete error warning system.
- ✓ Appliance certified by NSF International (regulations on hygiene, cleaning and materials suitable for contact with foods).
- ✓ 100% tested.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ Vegetable slicer attachment.
- ✓ Gravity product expulsion
- ✓ Inner collecting container.
- ✓ Ejection disc.
- ✓ Universal grid cleaner QC-U.

## SALES DESCRIPTION

Compact ULTRA line.  
Variable speed motor block + vegetable slicer attachment.

### Equipped with "brushless" technology: powerful and efficient motors

- ✓ Maximum efficiency: maintain the torque throughout the speed range.
- ✓ Exclusive "Force control system": guarantee of a uniform and high quality result. Acoustic warning when the motor exceeds the pre-established force.
- ✓ Lightweight and compact design: they weigh less, they occupy less space.
- ✓ Improved air/water-tightness since no ventilation is required.
- ✓ They generate less noise: improved workplace environment.

### A perfect cut

- ✓ High precision settings and comprehensive cutter and disc design aimed at obtaining a perfect cut.
- ✓ Gravity Slide System: Gravity product expulsion ramp allow to reconstruct the sliced product for storing or presentation purpose.
- ✓ Ejection disc included for the products that require its use.
- ✓ It can be fitted with a wide range of discs and grids of the highest cutting quality.
- ✓ By combining these accessories, more than 35 different types of cuts and gratings can be achieved.
- ✓ Possibility of extending its functionality by adding the cutter bowl with blades.

### Built to last

- ✓ Sturdy construction in food-grade best quality materials.

### Maximum comfort for the user

- ✓ Ergonomic design: product sliced in one single movement.
- ✓ Lateral product output: requires less space on the worktop and

## OPTIONAL

- ☐ Cutter bowl.
- ☐ Hub with smooth blades.
- ☐ Hub with toothed blades.
- ☐ Hub with perforated blades.

## ACCESSORIES

- ☐ Cutter bowl
- ☐ FCS slicing discs
- ☐ FCOS rippled slicing disc
- ☐ FMS dicing grid
- ☐ FFS chipping grid
- ☐ FCES julienne discs
- ☐ SHS shredding & grating discs
- ☐ Hubs with blades
- ☐ Disc and grid packs - Compact Line
- ☐ Déli-cut cutting kit - Compact Line
- ☐ Universal grid cleaner QC-U
- ☐ Inner collection container for delicate cuts

## SPECIFICATIONS

Hourly production: 350 kg

Inlet opening: 89 cm<sup>2</sup>

Disc diameter: 180 mm

Speed as veg. slicer: 300 rpm - 1000 rpm

Total loading: 1100 W

### External dimensions (W x D x H)

Width: 378 mm

Depth: 309 mm

Height: 533 mm

Net weight: 12.9 kg

Noise level (1m.): <70 dB(A)

Background noise: 32 dB(A)

Crated dimensions

285 x 385 x 714 mm


Volume Packed: 0.08 m<sup>3</sup>

Gross weight: 17.2 kg

AVAILABLE MODELS

|         |                                                    |
|---------|----------------------------------------------------|
| 1050962 | Vegetable preparation machine CA-2V 230/50-60/1    |
| 1050965 | Vegetable preparation machine CA-2V 230/50-60/1 UK |
| 1050970 | Vegetable preparation machine CA-2V 120/50-60/1    |

\* Ask for special versions availability



# VEGETABLE PREPARATION MACHINE CA-4V

High-production commercial vegetable preparation machine, up to 650 kg.



## SALES DESCRIPTION

Variable speed motor block + high-production head. Equipped with “brushless” technology.

### Equipped with “brushless” technology: powerful and efficient motors.

- ✓ Maximum efficiency: maintain the torque throughout the speed range.
- ✓ Exclusive “force control system”: guarantee of a uniform and high quality cut.
- ✓ Lightweight and compact design: they weigh less, they occupy less space.
- ✓ Improved air/water-tightness since no ventilation is required.
- ✓ They generate less noise: improved workplace environment.

### A perfect cut

- ✓ High precision adjustments to obtain a uniform and excellent-quality cut.
- ✓ It can be fitted with a wide range of discs and grids of the highest cutting quality. Combining these accessories together to obtain more than 70 different types of cuts and grating grades.
- ✓ Head with blade on one side that distributes products inside the mouth and cuts and distributes whole products such as cabbage.
- ✓ Head equipped with high ejector: enables a higher quantity of product to be shifted.
- ✓ Exclusive “Force Control System” to optimise and standardise the cutting of each product: acoustic warning when the motor exceeds the pre-established force.

### Built to last

- ✓ Made from stainless steel and food-grade materials of the highest quality: stainless steel motor block and food-grade aluminium head.

### Maximum comfort for the user

- ✓ Ergonomic design. Maximum comfort for the user.
- ✓ Lateral product output: requires less space on the worktop and guides the product, avoiding splashes.

- ✓ Advanced control panel that is very intuitive to use and offers all the information at a glance.

### Maintenance, safety, hygiene

- ✓ Lever and lid easily removable for cleaning purposes.
- ✓ Combination of safety systems: head, cover, power switch.
- ✓ Appliance certified by NSF International (regulations on hygiene, cleaning and materials suitable for contact with foods).
- ✓ 100% tested.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ Large capacity head.
- ✓ Optional use drill.
- ✓ Universal grid cleaner QC-U.

## OPTIONAL

- ☐ Tube head.
- ☐ High production semi-automatic hopper.
- ☐ Support-trolley.
- ☐ Discs and grids.
- ☐ Grid cleaning kit.

## ACCESSORIES

- ☐ FCC curved slicing discs
- ☐ FCO rippled slicing discs
- ☐ FFC chipping grids
- ☐ FMC dicing grids
- ☐ FCE julienne discs
- ☐ Long vegetable attachment
- ☐ Disc and grid packs - Heavy Duty
- ☐ Disc and grid holder
- ☐ Stand-trolley
- ☐ Quick Cleaner: grid cleaners
- ☐ FC-D slicing discs
- ☐ SH shredding & grating discs
- ☐ Déli-cut cutting kit - Heavy Duty
- ☐ Universal grid cleaner QC-U

## SPECIFICATIONS

Hourly production: 200 kg - 650 kg

Inlet opening: 286 cm<sup>2</sup>

Disc diameter: 205 mm

Speed as veg. slicer: 300 rpm - 1000 rpm

Total loading: 1500 W

### External dimensions (W x D x H)

Width: 391 mm

Depth: 400 mm

Height: 652 mm

Net weight: 27 kg

Noise level (1m.): <70 dB(A)

Background noise: 32 dB(A)

Crated dimensions

445 x 430 x 595 mm

Volume Packed: 0.13 m<sup>3</sup>


Gross weight: 31.2 kg

## AVAILABLE MODELS

1050796 Vegetable preparation machine CA-4V 230/50-60/1

1050799 Vegetable preparation machine CA-4V 120/50-60/1

\* Ask for special versions availability



# VEGETABLE PREPARATION MACHINE CA-3V

Commercial vegetable preparation machine. Production up to 500 kg.



## SALES DESCRIPTION

Variable speed motor block + universal head.  
Equipped with “brushless” technology.

### Equipped with “brushless” technology: powerful and efficient motors.

- ✓ Maximum efficiency: maintain the torque throughout the speed range.
- ✓ Exclusive “force control system”: guarantee of a uniform and high quality cut.
- ✓ Lightweight and compact design: they weigh less, they occupy less space.
- ✓ Improved air/water-tightness since no ventilation is required.
- ✓ They generate less noise: improved workplace environment.

### A perfect cut

- ✓ High precision adjustments to obtain a uniform and excellent-quality cut.
- ✓ It can be fitted with a wide range of discs and grids of the highest cutting quality. Combining these accessories together to obtain more than 70 different types of cuts and grating grades.
- ✓ Exclusive “Force Control System” to optimise and standardise the cutting of each product: acoustic warning when the motor exceeds the pre-established force.

### Built to last

- ✓ Made from stainless steel and food-grade materials of the highest quality: stainless steel motor block and food-grade aluminium head.

### Maximum comfort for the user

- ✓ Ergonomic design: product sliced in one single movement.
- ✓ Lateral product output: requires less space on the worktop and guides the product, avoiding splashes.
- ✓ Advanced control panel that is very intuitive to use and offers all the information at a glance.

### Maintenance, safety, hygiene

- ✓ Lever and lid easily removable for cleaning purposes.
- ✓ Combination of safety systems: head, cover, power switch.
- ✓ Appliance certified by NSF International (regulations on hygiene, cleaning and materials suitable for contact with foods).
- ✓ 100% tested.

## INCLUDES

- ✓ Variable speed motor block.
- ✓ Universal head.
- ✓ Universal grid cleaner QC-U.

## OPTIONAL

- ☐ Tube head for long products.
- ☐ Discs and grids.
- ☐ Support-trolley.
- ☐ Grid cleaning kit.

## ACCESSORIES

- ☐ FCC curved slicing discs
- ☐ FCO rippled slicing discs
- ☐ FFC chipping grids
- ☐ FMC dicing grids
- ☐ FCE julienne discs
- ☐ Long vegetable attachment
- ☐ Disc and grid packs - Heavy Duty
- ☐ Disc and grid holder
- ☐ Stand-trolley
- ☐ Quick Cleaner: grid cleaners
- ☐ FC-D slicing discs
- ☐ SH shredding & grating discs
- ☐ Déli-cut cutting kit - Heavy Duty
- ☐ Universal grid cleaner QC-U

## SPECIFICATIONS

Hourly production: 500 kg

Inlet opening: 136 cm<sup>2</sup>

Disc diameter: 205 mm

Speed as veg. slicer: 300 rpm - 1000 rpm

Total loading: 1500 W

### External dimensions (W x D x H)

Width: 391 mm

Depth: 409 mm

Height: 552 mm

Net weight: 24 kg

Noise level (1m.): <70 dB(A)

Background noise: 32 dB(A)

Crated dimensions

435 x 430 x 600 mm

Volume Packed: 0.11 m<sup>3</sup>


Gross weight: 28 kg

## AVAILABLE MODELS

1050784 Vegetable preparation machine CA-3V 230/50-60/1

1050787 Vegetable preparation machine CA-3V 120/50-60/1

\* Ask for special versions availability





По вопросам продаж и поддержки обращайтесь:

|                             |                            |                                 |                                |                          |
|-----------------------------|----------------------------|---------------------------------|--------------------------------|--------------------------|
| Алматы (727)345-47-04       | Иваново (4932)77-34-06     | Магнитогорск (3519)55-03-13     | Ростов-на-Дону (863)308-18-15  | Тольятти (8482)63-91-07  |
| Ангарск (3955)60-70-56      | Ижевск (3412)26-03-58      | Москва (495)268-04-70           | Рязань (4912)46-61-64          | Томск (3822)98-41-53     |
| Архангельск (8182)63-90-72  | Иркутск (395)279-98-46     | Мурманск (8152)59-64-93         | Самара (846)206-03-16          | Тула (4872)33-79-87      |
| Астрахань (8512)99-46-04    | Казань (843)206-01-48      | Набережные Челны (8552)20-53-41 | Санкт-Петербург (812)309-46-40 | Тюмень (3452)66-21-18    |
| Барнаул (3852)73-04-60      | Калининград (4012)72-03-81 | Нижний Новгород (831)429-08-12  | Саратов (845)249-38-78         | Ульяновск (8422)24-23-59 |
| Белгород (4722)40-23-64     | Калуга (4842)92-23-67      | Новокузнецк (3843)20-46-81      | Севастополь (8692)22-31-93     | Улан-Удэ (3012)59-97-51  |
| Благовещенск (4162)22-76-07 | Кемерово (3842)65-04-62    | Ноябрьск (3496)41-32-12         | Саранск (8342)22-96-24         | Уфа (347)229-48-12       |
| Брянск (4832)59-03-52       | Киров (8332)68-02-04       | Новосибирск (383)227-86-73      | Симферополь (3652)67-13-56     | Хабаровск (4212)92-98-04 |
| Владивосток (423)249-28-31  | Коломна (4966)23-41-49     | Омск (3812)21-46-40             | Смоленск (4812)29-41-54        | Чебоксары (8352)28-53-07 |
| Владикавказ (8672)28-90-48  | Кострома (4942)77-07-48    | Орел (4862)44-53-42             | Сочи (862)225-72-31            | Челябинск (351)202-03-61 |
| Владимир (4922)49-43-18     | Краснодар (861)203-40-90   | Оренбург (3532)37-68-04         | Ставрополь (8652)20-65-13      | Череповец (8202)49-02-64 |
| Волгоград (844)278-03-48    | Красноярск (391)204-63-61  | Пенза (8412)22-31-16            | Сургут (3462)77-98-35          | Чита (3022)38-34-83      |
| Вологда (8172)26-41-59      | Курск (4712)77-13-04       | Петрозаводск (8142)55-98-37     | Сыктывкар (8212)25-95-17       | Якутск (4112)23-90-97    |
| Воронеж (473)204-51-73      | Курган (3522)50-90-47      | Псков (8112)59-10-37            | Тамбов (4752)50-40-97          | Ярославль (4852)69-52-93 |
| Екатеринбург (343)384-55-89 | Липецк (4742)52-20-81      | Пермь (342)205-81-47            | Тверь (4822)63-31-35           |                          |

|                         |                           |                            |                              |                            |
|-------------------------|---------------------------|----------------------------|------------------------------|----------------------------|
| Россия +7(495)268-04-70 | Казахстан +(727)345-47-04 | Беларусь +(375)257-127-884 | Узбекистан +998(71)205-18-59 | Киргизия +996(312)96-26-47 |
|-------------------------|---------------------------|----------------------------|------------------------------|----------------------------|

эл.почта: [sir@nt-rt.ru](mailto:sir@nt-rt.ru) || сайт: <https://sammic.nt-rt.ru/>