

Камеры шоковой заморозки АТ-14 1/1, АТ-14 1/1 РW, АТ-12-2/70 РW

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>

BLAST CHILLER / FREEZER AT-14 1/1

14 x GN 1/1 / EN 600 x 400 (distance between trays: 65 mm).



SALES DESCRIPTION

Output:

- ✓ Chilling: 39 kg / 90'.
- ✓ Deep-freezing: 23 kg / 240'.

Quick chilling helps to maintain the quality of food, preserving the nutrients and improving the efficiency of cooking processes.

A wide range of applications

- ✓ Frozen pizzas, fresh pasta, confectionery, gastronomy, ice creams, desserts, baked goods, etc.

One piece of equipment, several functions

- ✓ Quick chilling to +3°C which inhibits bacterial proliferation, prevents food dehydration due to evaporation and makes it possible to preserve the original properties of food for five to seven days.
- ✓ Deep-freezing to a core temperature of -18°C in less than four hours, avoiding the formation of macrocrystals, an essential requisite if - at the time of use - unfrozen food is to keep its original consistency and quality.
- ✓ Automatic preservation at the maintenance temperature programmed after each operation.

Robust, hygienic and reliable construction

- ✓ Manufactured in stainless steel with hygienic cathodic protection and easy to clean.
- ✓ Insulation with expanded polyurethane foam in water free of CFC's and HFC's.
- ✓ High-power compressors for quick chilling.
- ✓ Indirect air flow.
- ✓ Built-in motor.
- ✓ Freon refrigerant with a low GWP content.
- ✓ Evaporators treated with cataphoresis to reduce odours and moulds, favouring performance and durability over time.

Advanced control panel

- ✓ Cycles per temperature, time or core probe.
- ✓ HARD function for rapid cooling, SOFT for deep-freezing.
- ✓ Data storage at the end of the cycle.
- ✓ Manual air defrosting.
- ✓ Possibility of customising and saving cycles and settings.
- ✓ HACCP functions for storing alarms.
- ✓ Bluetooth connectivity for maximum process control through the free EVConnect app.

Special cycles

- ✓ Pre-cooling.
- ✓ Sanitation of raw fish.
- ✓ Ice cream hardening.
- ✓ Other optional cycles: defrosting, internal sterilisation, cooling by core probe.

INCLUDES

- ✓ Core probe.
- ✓ Bluetooth connectivity

OPTIONAL

- ☐ Wifi connectivity for process control from anywhere.

ACCESSORIES

- ☐ Trolley for trays

SPECIFICATIONS

Recipient capacity (GN) 1/1: 14
Space between trays: 65 mm

Chilling capacity: 90°C a 3°C / 90' / 39 kg
Deep freezing capacity: 90°C a -18°C / 240' / 23 kg

Consumption: 3800 W

Internal dimensions: 700 mm x 450 mm x 990 mm (Interior volume: 312 l)

External dimensions (W x D x H)

- ✓ Width: 820 mm
- ✓ Depth: 800 mm
- ✓ Height: 1750 mm

Net weight: 190 kg

Crated dimensions
850 x 850 x 1900 mm
Volume Packed: 1.3727 m³
Gross weight: 200 kg

AVAILABLE MODELS

5140194 Blast chiller / freezer AT-14 1/1 400/50-60/3N

5140196 Blast chiller / freezer AT-14 1/1 220/60/3

* Ask for special versions availability

BLAST CHILLER / FREEZER AT-14 1/1 PW

14 x GN 1/1 / EN 600 x 400 (distance between trays: 65 mm)



SALES DESCRIPTION

Output:

- ✓ Chilling: 40 kg / 90'.
- ✓ Deep-freezing: 28 kg / 240'.

Quick chilling helps to maintain the quality of food, preserving the nutrients and improving the efficiency of cooking processes.

A wide range of applications

- ✓ Frozen pizzas, fresh pasta, confectionery, gastronomy, ice creams, desserts, baked goods, etc.

One piece of equipment, several functions

- ✓ Quick chilling to +3°C which inhibits bacterial proliferation, prevents food dehydration due to evaporation and makes it possible to preserve the original properties of food for five to seven days.
- ✓ Deep-freezing to a core temperature of -18°C in less than four hours, avoiding the formation of macrocrystals, an essential requisite if - at the time of use - unfrozen food is to keep its original consistency and quality.
- ✓ Automatic preservation at the maintenance temperature programmed after each operation.

Robust, hygienic and reliable construction

- ✓ Manufactured in stainless steel with hygienic cathodic protection and easy to clean.
- ✓ Insulation with expanded polyurethane foam in water free of CFC's and HFC's.
- ✓ High-power compressors for quick chilling.
- ✓ Indirect air flow.
- ✓ Built-in motor.
- ✓ R290 refrigerant with a low GWP content.
- ✓ Evaporators treated with cataphoresis to reduce odours and moulds, favouring performance and durability over time.

Advanced control panel

- ✓ Cycles per temperature, time or core probe.
- ✓ HARD function for rapid cooling, SOFT for deep-freezing.
- ✓ Data storage at the end of the cycle.
- ✓ Manual air defrosting.
- ✓ Possibility of customising and saving cycles and settings.
- ✓ HACCP functions for storing alarms.
- ✓ Wifi connectivity for maximum process control through the free EVConnect app.

Special cycles

- ✓ Pre-cooling.
- ✓ Sanitation of raw fish.
- ✓ Ice cream hardening.
- ✓ Other optional cycles: defrosting, internal sterilisation, cooling by core probe.

INCLUDES

- ✓ Core probe.
- ✓ Wifi connectivity.

SPECIFICATIONS

Recipient capacity (GN) 1/1: 14

Space between trays: 65 mm

Chilling capacity: 90°C a 3°C / 90' / 40 kg

Deep freezing capacity: 90°C a -18°C / 240' / 28 kg

Consumption: 2200 W

Internal dimensions: 700 mm x 496 mm x 992 mm (Interior volume: 0.344 l)

External dimensions (W x D x H)

- ✓ Width: 820 mm
- ✓ Depth: 799 mm
- ✓ Height: 1709 mm

Net weight: 190 kg

Crated dimensions

850 x 830 x 1900 mm

Gross weight: 200 kg

AVAILABLE MODELS

5142194 Blast chiller / freezer AT-14 1/1 PW 400/50-60/3N

5142196 Blast chiller / freezer AT-14 1/1 PW 230/50-60/3N

* Ask for special versions availability

BLAST CHILLER / FREEZER AT-12-2/70 PW

12 x GN 2/1 (distance between trays: 70 mm).



SALES DESCRIPTION

Output:

- ✓ Chilling: 45 kg / 90'.
- ✓ Deep-freezing: 27 kg / 240'.

Quick chilling helps to maintain the quality of food, preserving the nutrients and improving the efficiency of cooking processes.

A wide range of applications

- ✓ Frozen pizzas, fresh pasta, confectionery, gastronomy, ice creams, desserts, baked goods, etc.

One piece of equipment, several functions

- ✓ Quick chilling to +3°C which inhibits bacterial proliferation, prevents food dehydration due to evaporation and makes it possible to preserve the original properties of food for five to seven days.
- ✓ Deep-freezing to a core temperature of -18°C in less than four hours, avoiding the formation of macrocrystals, an essential requisite if - at the time of use - unfrozen food is to keep its original consistency and quality.
- ✓ Automatic preservation at the maintenance temperature programmed after each operation.

Robust, hygienic and reliable construction

- ✓ Manufactured in stainless steel with hygienic cathodic protection and easy to clean.
- ✓ Insulation with expanded polyurethane foam in water free of CFC's and HFC's.
- ✓ High-power compressors for quick chilling.
- ✓ Indirect air flow.
- ✓ Built-in motor.
- ✓ R290 refrigerant with a low GWP content.
- ✓ Evaporators treated with cataphoresis to reduce odours and moulds, favouring performance and durability over time.

Advanced control panel

- ✓ Cycles per temperature, time or core probe.
- ✓ HARD function for rapid cooling, SOFT for deep-freezing.
- ✓ Data storage at the end of the cycle.
- ✓ Manual air defrosting.
- ✓ Possibility of customising and saving cycles and settings.
- ✓ HACCP functions for storing alarms.
- ✓ Wifi connectivity for maximum process control through the free EVConnect app.

Special cycles

- ✓ Pre-cooling.
- ✓ Sanitation of raw fish.
- ✓ Ice cream hardening.
- ✓ Other optional cycles: defrosting, internal sterilisation, cooling by core probe.

INCLUDES

- ✓ Core probe.
- ✓ Wifi connectivity.

SPECIFICATIONS

Recipient capacity (GN) 1/1:

Space between trays: 70 mm

Chilling capacity: 90°C a 3°C / 90' / 45 kg

Deep freezing capacity: 90°C a -18°C / 240' / 27 kg

Consumption: 2400 W

Internal dimensions: 700 mm x 554 mm x 970 mm (Interior volume: 0.376 l)

External dimensions (W x D x H)

- ✓ Width: 820 mm
- ✓ Depth: 859 mm
- ✓ Height: 1709 mm

Net weight: 210 kg

Crated dimensions

850 x 880 x 1800 mm

Gross weight: 220 kg

AVAILABLE MODELS

5142177 Blast chiller / freezer AT-12-2/70 PW 220/60/3

5142178 Blast chiller / freezer AT-12-2/70 PW 400/50-60/3N

* Ask for special versions availability



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------