

Оборудование и аксессуары из нержавеющей стали

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>

KNIFE STERILISER EC-30

Capacity: 25 - 30 units.



SPECIFICATIONS

Total loading: 15 W

Blade capacity: 25 - 30

External dimensions (W x D x H)

✓ Width: 482 mm

✓ Depth: 155 mm

✓ Height: 613 mm

Internal dimensions

✓ Width: 480 mm

✓ Depth: 124 mm

✓ Height: 470 mm

Net weight: 8 kg

AVAILABLE MODELS

5130580 Knife steriliser EC-30 230/50-60/1

5130582 Knife steriliser EC-30 220/60/1

5130583 Knife steriliser EC-30 120/60/1

* Ask for special versions availability

SALES DESCRIPTION

- ✓ Loading: 15 W.
- ✓ Capacity: 25 - 30 units.
- ✓ Dimensions: 482 x 155 x 613 mm.
- ✓ Net weight: 8 kg.
- ✓ Knife steriliser ideal for butcher shops and commercial kitchens.
- ✓ Made AISI 430 stainless steel and UV-protected acrylic plastic.
- ✓ Non magnetic knife holder.
- ✓ Germicidal UV-lamp.
- ✓ 120 min timer.
- ✓ Knife sterilisation in less than 30 minutes: HACCP solution.

HOT CUPBOARD WITH WORKTOP

Loading: 2,500W



AVAILABLE MODELS

5891712 Worktop with upstand and hot cupboard 1200x700 MCM-712 (Wall model)

5891718 Worktop with upstand and hot cupboard 1800x700 MCM-718 (Wall model)

5891732 Worktop with hot cupboard 1200x700 MCP-712 (Sliding doors on both sides)

5891738 Worktop with hot cupboard 1800x700 MCP-718 (Sliding doors on both sides)

** Ask for special versions availability*

SALES DESCRIPTION

Wall models and central models with sliding door on both sides available.
700 mm. depth.

- ✓ Made of AISI 304 Scotch Brite.
- ✓ Worktop.
- ✓ Waterproof and soundproof, reinforcing underframe.
- ✓ Ventilated heating, temperature up to 80°C.
- ✓ Soundproofed sliding doors and height-adjustable intermediate shelf.
- ✓ Wall model with 100mm rear upstand.

SPECIFICATIONS

External dimensions (W x D x H)

- ✓ Depth: 700 mm
- ✓ Height: 850 mm

WALL CUPBOARDS

To attach to the wall.



AVAILABLE MODELS

5894610 Wall cupboard 1000x400x650 AP-1000

5894612 Wall cupboard 1200x400x650 AP-1200

5894616 Wall cupboard 1600x400x650 AP-1600

5894618 Wall cupboard 1800x400x650 AP-1800

** Ask for special versions availability*

SALES DESCRIPTION

Available in different sizes

- ✓ Made of AISI 304 Scotch Brite.
- ✓ Soundproofed sliding doors mounted on nylon bearings.
- ✓ Height adjustable intermediate shelf with flattened lower edges.
Complete with drainer unit.
- ✓ Double-thickness guides.
- ✓ Easy attachment to walls

INCLUDES

- ✓ One intermediate shelf.

SPECIFICATIONS

Internal dimensions

- ✓ Depth: 340 mm

External dimensions (W x D x H)

- ✓ Depth: 400 mm
- ✓ Height: 650 mm

FREESTANDING CUPBOARDS

Freestanding cupboards.

AVAILABLE MODELS

5835612 Freestanding cupboard 1200x600x2000 AE-1200

5895616 Freestanding cupboard 1600x600x2000 AE-1600

* Ask for special versions availability



SALES DESCRIPTION

Available in different sizes

- ✓ Made of AISI 304 Scotch Brite.
- ✓ Soundproofed sliding doors mounted on nylon bearings.
- ✓ Height adjustable intermediate shelf with flattened lower edges.
Complete with drainer unit.
- ✓ Double-thickness guides.
- ✓ Easy attachment to walls

INCLUDES

- ✓ Three Intermediate shelves

SPECIFICATIONS

Internal dimensions

- ✓ Depth: 540 mm

External dimensions (W x D x H)

- ✓ Depth: 600 mm
- ✓ Height: 2000 mm

FIXED WALL SHELVES: TUBULAR MODELS

Stainless steel wall shelves.



SALES DESCRIPTION

Available in different sizes.

AVAILABLE MODELS

5851310 Tubular wall shelf 1000 x 400 mm EPT-410

5851312 Tubular wall shelf 1200 x 400 mm EPT-412

5851314 Tubular wall shelf 1400 x 400 mm EPT-414

5851316 Tubular wall shelf 1600 x 400 mm EPT-416

5851318 Tubular wall shelf 1800 x 400 mm EPT-418

** Ask for special versions availability*

TRANSPORT TROLLEYS

Multi-purpose transport trolley.



AVAILABLE MODELS

5860208	Transport trolley (2 shelves) - 800 x 500 mm - CS-208
5860209	Transport trolley (2 shelves) - 900 x 500 mm - CS-209
5860210	Transport trolley (2 shelves) - 1000 x 600 mm - CS-210
5860308	Transport trolley (3 shelves) - 800 x 500 mm - CS-308
5860309	Transport trolley (3 shelves) - 900 x 500 mm - CS-309
5860310	Transport trolley (3 shelves) - 1000 x 600 mm - CS-310
5860409	Transport trolley (4 shelves) - 900 x 500 mm - CS-409
5860410	Transport trolley (4 shelves) - 1000 x 600 mm - CS-410

* Ask for special versions availability

SALES DESCRIPTION

- ✓ Trolleys with 2, 3 or 4 shelves.
- ✓ Loading capacity per shelf: 70 kg.

- ✓ Welded trolley with 18/10 stainless steel tubular frame.
- ✓ Welded deep-drawn, 18/10 stainless steel shelves with rounded, soundproofed surface.
- ✓ 4 rubber, 125 mm diameter, swivel wheels, 2 with brakes.
- ✓ Rubber bumpers.

SPECIFICATIONS

Load capacity per shelf: 70 kg

EXTRA STRONG TRANSPORT TROLLEYS

Multi-purpose, reinforced transport trolley.



SALES DESCRIPTION

- ✓ Trolleys with 2 or 3 shelves.
- ✓ Loading capacity per shelf: 130 kg.
- ✓ Welded trolley with 18/10 stainless steel tubular frame.
- ✓ Welded deep-drawn, 18/10 stainless steel shelves with rounded, soundproofed surface.
- ✓ 4 rubber, 125 mm diameter, swivel wheels, 2 with brakes.
- ✓ Rubber bumpers.

AVAILABLE MODELS

5860510 Extra strong transport trolley (2 shelves) - 1000 x 600 mm
- CSR-210

5860610 Extra strong transport trolley (3 shelves) - 1000 x 600 mm
- CSR-310

* Ask for special versions availability

TROLLEYS WITH GUIDES

Trolley for gastronorm trays.



AVAILABLE MODELS

5860711 Trolley for GN trays with worktop 7 x GN 1/1 CG-711

5860721 Trolley for GN trays with worktop 7 x GN 2/1 CG-721

5861711 Trolley for GN trays 17 x GN 1/1 CG-1711

5861721 Trolley for GN trays 17 x GN 2/1 CG-1721

** Ask for special versions availability*

SALES DESCRIPTION

Gastronorm tray trolleys with worktop and high gastronorm tray trolleys.

- ✓ Welded trays with glazed stainless steel AISI 304 square tubular frame section 25 x 25 x 1.2 mm.
- ✓ C-shaped stainless steel AISI 304 12/10 thickness guides with push-through protection.
- ✓ 125 mm diameter swivel castors, 2 of them with brake.
- ✓ Rubber bumpers.

Low trolleys with Gastronorm guides

- ✓ Top tray in AISI 304 10/10 satin finished.
- ✓ Versatile: the model for 7 x GN 1/1 can be used with up to 14 x GN 1/1 trays.
- ✓ Distance between guides: 76 mm.

High trolleys with Gastronorm guides

- ✓ Versatile: the model for 17 x GN 1/1 can be used with up to 34 x GN 1/1 trays.
- ✓ Distance between guides: 77 mm.

TROLLEY WITH GUIDES FOR BAKERY TRAYS

Trolley for bakery and pastry trays.



SALES DESCRIPTION

High trolley with guides for bakery and pastry trays.

- ✓ Welded trays with glazed stainless steel AISI 304 square tubular frame section 25 x 25 x 1.2 mm.
- ✓ L-shaped stainless steel AISI 304 12/10 thickness guides with push-through protection.
- ✓ 125 mm diameter swivel castors, 2 of them with brake.
- ✓ Rubber bumpers.
- ✓ Distance between guides: 86 mm.

SPECIFICATIONS

Crated dimensions
620 x 740 x 1650 mm
Gross weight: 27.5 kg

AVAILABLE MODELS

5861664 Trolley for bakery trays 16 x 600 x 400 mm CG-1664

* Ask for special versions availability

PLATE TROLLEYS

Plate trolley



SALES DESCRIPTION

✓ Loading capacity: 150 kg (200 plates) or 300 kg (400 plates).

- ✓ 18/10 AISI304 stainless steel frame.
- ✓ Inclined lower shelf suitable for transporting plates.
- ✓ 4 x 125mm diameter, swivel wheels, 2 with brakes.
- ✓ Rubber bumpers.

INCLUDES

- ✓ Complete with divider grids.

SPECIFICATIONS

External dimensions (W x D x H)

AVAILABLE MODELS

5861002 Plate trolley - double CPD

* Ask for special versions availability

FOODSTUFFS TRANSPORT TROLLEYS

Foodstuffs transport trolley



SALES DESCRIPTION

✓ Total maximum load: 200 Kg.

- ✓ Stainless steel AISI304 galvanized surface.
- ✓ Stainless steel AISI304 round handle Ø25 x 1.5
- ✓ 125mm diameter castors: 2 fixed castors with brake, 2 swivel castors.

SPECIFICATIONS

External dimensions (W x D x H)

AVAILABLE MODELS

5863000 Foodstuffs transport trolley CT-200

* Ask for special versions availability

GN STANDARD CONTAINERS



SALES DESCRIPTION

Standard gastronorm containers.

18/10 stainless steel made

SPECIFICATIONS

AVAILABLE MODELS

9050020	Pan 2/1 - 20 (530 x 650 x 20 mm)
9050040	Pan 2/1 - 40 (530 x 650 x 40 mm)
9050050	Pan 2/1 - 65 (530 x 650 x 65 mm)
9050100	Pan 2/1 - 100 (530 x 650 x 100 mm)
9050150	Pan 2/1 - 150 (530 x 650 x 150 mm)
9050200	Pan 2/1 - 200 (530 x 650 x 200 mm)
9051020	Pan 1/1 - 20 (530 x 325 x 20 mm)
9051040	Pan 1/1 - 40 (530 x 325 x 40 mm)
9051050	Pan 1/1 - 65 (530 x 325 x 65 mm)
9051100	Pan 1/1 - 100 (530 x 325 x 100 mm)
9051150	Pan 1/1 - 150 (530 x 325 x 150 mm)
9051200	Pan 1/1 - 200 (530 x 325 x 200 mm)
9052020	Pan 2/3 - 20 (354 x 325 x 20 mm)
9052040	Pan 2/3 - 40 (354 x 325 x 40 mm)
9052050	Pan 2/3 - 65 (354 x 325 x 65 mm)
9052100	Pan 2/3 - 100 (354 x 325 x 100 mm)
9052150	Pan 2/3 - 150 (354 x 325 x 150 mm)
9052200	Pan 2/3 - 200 (354 x 325 x 200 mm)
9053020	Pan 1/2 - 20 (265 x 325 x 20 mm)
9053040	Pan 1/2 - 40 (265 x 325 x 40 mm)
9053050	Pan 1/2 - 65 (265 x 325 x 65 mm)
9053100	Pan 1/2 - 100 (265 x 325 x 100 mm)
9053150	Pan 1/2 - 150 (265 x 325 x 150 mm)
9053200	Pan 1/2 - 200 (265 x 325 x 200 mm)
9053024	Pan 2/4 - 20 (530 x 162 x 20 mm)
9053044	Pan 2/4 - 40 (530 x 162 x 40 mm)
9053054	Pan 2/4 - 65 (530 x 162 x 65 mm)
9053104	Pan 2/4 - 100 (530 x 162 x 100 mm)
9054020	Pan 1/3 - 20 (176 x 325 x 20 mm)
9054040	Pan 1/3 - 40 (176 x 325 x 40 mm)
9054050	Pan 1/3 - 65 (176 x 325 x 65 mm)
9054100	Pan 1/3 - 100 (176 x 325 x 100 mm)
9054150	Pan 1/3 - 150 (176 x 325 x 150 mm)
9054200	Pan 1/3 - 200 (176 x 325 x 200 mm)
9055050	Pan 1/4 - 65 (265 x 162 x 65 mm)
9055100	Pan 1/4 - 100 (265 x 162 x 100 mm)
9055150	Pan 1/4 - 150 (265 x 162 x 150 mm)
9055200	Pan 1/4 - 200 (265 x 162 x 200 mm)
9056050	Pan 1/6 - 65 (176 x 162 x 65 mm)
9056100	Pan 1/6 - 100 (176 x 162 x 100 mm)
9056150	Pan 1/6 - 150 (176 x 162 x 150 mm)
9057050	Pan 1/9 - 65 (176 x 108 x 65 mm)
9057100	Pan 1/9 - 100 (176 x 108 x 100 mm)

* Ask for special versions availability

GN PERFORATED CONTAINERS



SALES DESCRIPTION

Perforated gastronorm containers.

18/10 stainless steel made

AVAILABLE MODELS

9050042	Perforated pan 2/1 - 40 (530 x 650 x 40 mm)
9050052	Perforated pan 2/1 - 65 (530 x 650 x 65 mm)
9050102	Perforated pan 2/1 - 100 (530 x 650 x 100 mm)
9051042	Perforated pan 1/1 - 40 (530 x 325 x 40 mm)
9051052	Perforated pan 1/1 - 65 (530 x 325 x 40 mm)
9051102	Perforated pan 1/1 - 100 (530 x 325 x 100 mm)
9051152	Perforated pan 1/1 - 150 (530 x 325 x 150 mm)
9051202	Perforated pan 1/1 - 200 (530 x 325 x 200 mm)
9052042	Perforated pan 2/3 - 40 (354 x 325 x 40 mm)
9052052	Perforated pan 2/3 - 65 (354 x 325 x 65 mm)
9052102	Perforated pan 2/3 - 100 (354 x 325 x 100 mm)
9052152	Perforated pan 2/3 - 150 (354 x 325 x 150 mm)
9052202	Perforated pan 2/3 - 200 (354 x 325 x 200 mm)
9053042	Perforated pan 1/2 - 40 (265 x 325 x 40 mm)
9053052	Perforated pan 1/2 - 65 (265 x 325 x 65 mm)
9053102	Perforated pan 1/2 - 100 (265 x 325 x 100 mm)
9053152	Perforated pan 1/2 - 150 (265 x 325 x 150 mm)
9053202	Perforated pan 1/2 - 200 (265 x 325 x 200 mm)
9061152	Perforated pan 1/1 - 150
9062042	Perforated pan 2/3 - 40
9062102	Perforated pan 2/3 - 100
9062152	Perforated pan 2/3 - 150
9062202	Perforated pan 2/3 - 200
9063152	Perforated pan 1/2 - 150
9063202	Perforated pan 1/2 - 200
9072042	Perforated pan 2/3 - 40
9072052	Perforated pan 2/3 - 65
9072102	Perforated pan 2/3 - 100
9072152	Perforated pan 2/3 - 150
9072202	Perforated pan 2/3 - 200

* Ask for special versions availability

STANDARD LIDS



SALES DESCRIPTION

Lids for gastronorm containers.
Complete with handles (except for 2/4 size).

18/10 stainless steel made

AVAILABLE MODELS

9251300 Standard lid 1/1

9252300 Standard lid 2/3

9253300 Standard lid 1/2

9253344 Standard lid 2/4

9254300 Standard lid 1/3

9255300 Standard lid 1/4

9256300 Standard lid 1/6

9257300 Standard lid 1/9

9261300 Standard lid 1/1

9262300 Standard lid 2/3

9266300 Standard lid 1/6

9267300 Standard lid 1/9

9271300 Standard lid 1/1

9272300 Standard lid 2/3

9273300 Standard lid 1/2

9273344 Standard lid 2/4

9276300 Standard lid 1/6

9277300 Standard lid 1/9

* Ask for special versions availability

LIDS WITH OPENING FOR SPOON

AVAILABLE MODELS

9251320	Lid with opening for spoon 1/1
9252320	Lid with opening for spoon 2/3
9253320	Lid with opening for spoon 1/2
9254320	Lid with opening for spoon 1/3
9255320	Lid with opening for spoon 1/4
9256320	Lid with opening for spoon 1/6
9257320	Lid with opening for spoon 1/9
9261320	Lid with opening for spoon 1/1
9262320	Lid with opening for spoon 2/3
9264320	Lid with opening for spoon 1/3
9265320	Lid with opening for spoon 1/4
9266320	Lid with opening for spoon 1/6
9272320	Lid with opening for spoon 2/3
9275320	Lid with opening for spoon 1/4
9277320	Lid with opening for spoon 1/9

** Ask for special versions availability*




SALES DESCRIPTION

Lids for gastronorm containers with opening for spoon.

18/10 stainless steel made

Complete with opening for spoon.

LIDS WITH HERMETIC SEAL



SALES DESCRIPTION

Lid with hermetic seal for gastronorm containers

18/10 stainless steel made

Complete with hermetic seal for ease of transport.

AVAILABLE MODELS

9251360 Hermetic sealed lid 1/1

9252360 Hermetic sealed lid 2/3

9253360 Hermetic sealed lid 1/2

9254360 Hermetic sealed lid 1/3

9261360 Hermetic sealed lid 1/1

9264360 Hermetic sealed lid 1/3

** Ask for special versions availability*

LIDS WITH HERMETIC SEAL AND VALVE



SALES DESCRIPTION

Lid with hermetic seal and valve for gastronorm containers.

18/10 stainless steel made

Complete with hermetic seal and valve for ease of transport.

AVAILABLE MODELS

9251365 Hermetic sealed lid with valve 1/1

9253365 Hermetic sealed lid with valve 1/2

9254365 Hermetic sealed lid with valve 1/3

9900720 Seal ring - 2/3

** Ask for special versions availability*

PERFORATED FALSE BOTTOMS



AVAILABLE MODELS

9651600	Strainer plate 1/1 (530 x 325 x 17 mm)
9652600	Strainer plate 2/3 (354 x 325 x 17 mm)
9653600	Strainer plate 1/2 (265 x 325 x 17 mm)
9654600	Strainer plate 1/3 (176 x 325 x 17 mm)
9661600	Strainer plate 1/1
9662600	Strainer plate 2/3
9663600	Strainer plate 1/2
9664600	Strainer plate 1/3
9672600	Strainer plate 2/3
9673604	Strainer plate 2/4
9674600	Strainer plate 1/3
9675600	Strainer plate 1/4

* Ask for special versions availability

SALES DESCRIPTION

Perforated false bottoms to place into gastronorm containers.
With Ø 10 mm holes.

18/10 stainless steel made

✓ Ø 10 mm holes.

✓ Height: 17 mm.

TRAYS



AVAILABLE MODELS

9350520	Tray 2/1 - 20 (530 x 650 x 20 mm)
9350540	Tray 2/1 - 40 (530 x 650 x 40 mm)
9351510	Tray 1/1 - 10 (530 x 325 x 10 mm)
9351520	Tray 1/1 - 20 (530 x 325 x 20 mm)
9351540	Tray 1/1 - 40 (530 x 325 x 40 mm)
9352520	Tray 2/3 - 20 (354 x 325 x 20 mm)
9352540	Tray 2/3 - 40 (354 x 325 x 40 mm)
9353520	Tray 1/2 - 20 (265 x 325 x 20 mm)
9353540	Tray 1/2 - 40 (265 x 325 x 40 mm)
9370520	Tray 2/1 - 20 (530 x 650 x 20 mm)
9370540	Tray 2/1 - 40 (530 x 650 x 40 mm)
9372540	Tray 2/3 - 40 (354 x 325 x 40 mm)
9373540	Tray 1/2 - 40 (265 x 325 x 40 mm)


** Ask for special versions availability*

SALES DESCRIPTION

Gastronorm trays with straight rims.

18/10 stainless steel made

GRIDS



SALES DESCRIPTION

Gastronorm grids.

18/10 stainless steel made

AVAILABLE MODELS

9770700 Wire shelving 2/1 (530 x 650 mm)

9771700 Wire shelving 1/1 (530 x 325 mm)

9772700 Wire shelving 2/3 (354 x 325 mm)

** Ask for special versions availability*

DIVIDING BARS



SALES DESCRIPTION

Dividing bars for gastrornorm containers.

18/10 stainless steel made

AVAILABLE MODELS

9559001 Dividing bar - 325

9559005 Dividing bar - 530

** Ask for special versions availability*

STAINLESS STEEL BINS

Best-quality stainless steel waste bins.



SALES DESCRIPTION

Available in 50 and 95 litres.
Optional foot pedal in 95 l model.

- ✓ Stainless steel construction.
- ✓ Complete with handles and stainless steel lid.
- ✓ Fitted with 4 rubber covered swivel castors for quiet operation.

SPECIFICATIONS

Pedal: optional

AVAILABLE MODELS

5702570 Stainless steel waste bin

5702576 Stainless steel bin 50 l CU-50

5702577 Stainless steel bin 95 l CU-95

5702578 Stainless steel bin 95 l with pedal CU-95P

* Ask for special versions availability

WASTE BAG HOLDER

For easy management of waste.



SALES DESCRIPTION

Waste bag holder with pedal-operated lid opening.

- ✓ Stainless steel construction.
- ✓ Fitted with 2 rubber covered swivel castors for quiet operation.
- ✓ Pedal operated lid opening.
- ✓ Front handle for easy movement.

SPECIFICATIONS

Pedal: yes

Capacity

External dimensions (W x D x H): Ø 450 mm x 850 mm

Crated dimensions

480 x 480 x 860 mm

Gross weight: 9 kg

AVAILABLE MODELS

5861100 Waste bag holder CB

** Ask for special versions availability*

SINK UNITS: LEGS

For worktop with sink.



SALES DESCRIPTION

Available in 600 mm and 700 mm range

- ✓ Made of AISI304 Scotch Brite.
- ✓ Square-pipe legs 40x40mm.
- ✓ Hexagonal, height-adjustable stainless steel feet.

OPTIONAL

- ☐ Undershelf

AVAILABLE MODELS

5810614 Sink unit legs 1400 x 600 mm FB-614

5810615 Sink unit legs 1600 x 600 mm FB-616

5810616 Sink unit legs 1800 x 600 mm FB-618

5810620 Sink unit legs 2000 x 600 mm FB-620

5810708 Sink unit legs 800 x 700 mm FB-708

5810714 Sink unit legs 1400x700 FB-714

5810718 Sink unit legs 1800 x 700 mm FB-718

5810719 Sink unit legs 1000 x 700 mm FB-719

5810721 Sink unit legs 2100 x 700 mm FB-721

* Ask for special versions availability

FAUCETS

Professional faucets.



SALES DESCRIPTION

- ✓ For industrial use, suitable for catering and food industry.
- ✓ Best-quality chromium coating.
- ✓ Easy to install and low maintenance.
- ✓ High flow rate. The taps units are equipped with a continuous flow system.

AVAILABLE MODELS

5870010 Tap GR-C

5870011 Tap with lever GR-CL

** Ask for special versions availability*

DIRECT SPRAY UNITS

Direct flow from the mains water supply.



SALES DESCRIPTION

- ✓ For industrial use, suitable for catering and food industry.
- ✓ Best-quality chromium coating.
- ✓ Easy to install and low maintenance.
- ✓ High flow rate. The spray units are equipped with a continuous flow system.

SPECIFICATIONS

Crated dimensions

800 x 400 x 70 mm

AVAILABLE MODELS

5870021 Direct spray DD

5870022 Direct spray with tap DD-G

* Ask for special versions availability

2 TAP SPRAY UNITS

Possibility to combine cold and warm water.



SALES DESCRIPTION

With or without tap.

- ✓ For industrial use, suitable for catering and food industry.
- ✓ Best-quality chromium coating.
- ✓ Easy to install and low maintenance.
- ✓ High flow rate. The spray units are equipped with a continuous flow system.

SPECIFICATIONS

Crated dimensions
800 x 400 x 70 mm

AVAILABLE MODELS

- | | |
|---------|--------------------------------|
| 5870024 | Mixer spray D-2 |
| 5870025 | Mixer spray with tap D-2G |
| 5870026 | Mixer spray with "C" tap D-2GC |

* Ask for special versions availability

HOSE REELS

Hose with spray.



SALES DESCRIPTION

Hose length: 10 m or 15 m.

- ✓ For industrial use, suitable for catering and food industry.
- ✓ Best-quality chromium coating.
- ✓ Easy to install and low maintenance.
- ✓ High flow rate.

AVAILABLE MODELS

5300030 Machine wasching spray M-3

5870030 Hose 10 m with spray DM-10

5870031 Hose 15 m with spray DM-15

* Ask for special versions availability

TROLLEY FOR DISHWASHER BASKETS CGC-7

L-shaped guides with push-through protection.



SALES DESCRIPTION

Distance between guides 192.5 mm.

- ✓ Welded trays with glazed stainless steel AISI 304 square tubular frame section 25 x 25 x 1.2 mm.
- ✓ 125 mm diameter swivel castors, 2 of them with brake.
- ✓ Rubber bumpers.

SPECIFICATIONS

Crated dimensions

630 x 770 x 1640 mm

Gross weight: 22 kg

AVAILABLE MODELS

5860731 Trolley for dishwasher baskets CGC-7

** Ask for special versions availability*

TROLLEY FOR DISHWASHER BASKETS CCV(A)

Trolleys with handle and without handle.



SALES DESCRIPTION

Trolleys with stainless steel AISI304 galvanized surface and round handle Ø 25 x 1.5.

✓ 125 mm diameter swivel castors, 2 of them with brake.

AVAILABLE MODELS

5862001 Trolley for dishwasher baskets with handle CCVA

5862002 Trolley for dishwasher baskets without handle CCV

* Ask for special versions availability

1 TAP SPRAY UNITS

Opening locked water.



SALES DESCRIPTION

- ✓ For industrial use, suitable for catering and food industry.
- ✓ Best-quality chromium coating.
- ✓ Easy to install and low maintenance.
- ✓ High flow rate. The spray units are equipped with a continuous flow system.

SPECIFICATIONS

Crated dimensions
800 x 400 x 70 mm
Gross weight: 4.07 kg

AVAILABLE MODELS

5870023 Spray D-1

* Ask for special versions availability

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>