

Конвекционные и микроволновые печи SX-43/641/641G, HM-910, MO-1000/1000M/1817S/1834

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>

SNACK CONVECTION OVEN SX-43

Capacity: 4 trays 450 x 340 (GN 2/3 in option).



SPECIFICATIONS

Capacity

Tray type: 450 x 340
Optional tray type: GN 2/3
Number of trays: 4
Space between trays: 75 mm
Maximum load per tray: 3 kg

Loading

Total loading: 2800 W

Cooking data

Maximum temperature: 280°C
Fans: 1
Speeds: 1

External dimensions (W x D x H)

External dimensions (W x D x H): 560 x 632 x 530mm
Net weight: 28 kg

Crated dimensions

584 x 724 x 680 mm
Gross weight: 35 kg

SALES DESCRIPTION

- ✓ Easy, fast, and practical electro-mechanical control.
- ✓ Convection cooking.

Ideal for pastry shops, bakeries, and cafés.

The simplicity in design and use does not detract from the best technology to offer the user guaranteed performance and cooking results that meet the user's demands.

The SX convection ovens are designed to achieve uniform cooking for frozen bread, bake-off croissants, and delicate pastries.

The SX ovens guarantee high productivity with fast, even, and perfect cooking.

They are ideal for distribution, cafés, hotels, restaurants, etc., where compact size is important in the workspace.

INCLUDES

- ✓ Support for pastry trays 450 x 340 mm.
- ✓ Halogen lighting.

OPTIONAL

- ☐ Internal guides for GN 2/3 trays.
- ☐ Support with guides.

AVAILABLE MODELS

5120085 Snack convection oven SX-43 230/50/1

* Ask for special versions availability

SNACK CONVECTION OVEN SX-641

Capacity: 4 trays 600 x 400 - GN 1/1.



SPECIFICATIONS

Capacity

Tray type: 600 x 400 - GN 1/1
Number of trays: 4
Space between trays: 75 mm
Maximum load per tray: 3 kg

Loading

Total loading: 3200 W

Cooking data

Maximum temperature: 260°C
Fans: 2
Speeds: 1
Manual humidifier: yes (3/4")
Multifunction oven (grill): no

External dimensions (W x D x H)

External dimensions (W x D x H): 750 x 693 x 553mm
Net weight: 45 kg

Crated dimensions
774 x 764 x 682 mm
Gross weight: 45 kg

SALES DESCRIPTION

- ✓ Easy, fast, and practical electro-mechanical control.
- ✓ Convection cooking.
- ✓ Manual humidity control.

Ideal for pastry shops, bakeries, and cafés.

The simplicity in design and use does not detract from the best technology to offer the user guaranteed performance and cooking results that meet the user's demands.

The SX convection ovens are designed to achieve uniform cooking for frozen bread, bake-off croissants, and delicate pastries.

The SX ovens guarantee high productivity with fast, even, and perfect cooking.

They are ideal for distribution, cafés, hotels, restaurants, etc., where compact size is important in the workspace.

INCLUDES

- ✓ Support for pastry trays 600 x 400 mm / GN 1/1.
- ✓ Manual humidity control.
- ✓ Halogen lighting.

OPTIONAL

- ☐ Support with guides.

AVAILABLE MODELS

5120086 Snack convection oven SX-641 230/50/1

* Ask for special versions availability

SNACK CONVECTION OVEN SX-641G

Multifunction oven. Capacity: 4 trays 600 x 400 - GN 1/1.



SALES DESCRIPTION

- ✓ Easy, fast, and practical electro-mechanical control.
- ✓ Convection cooking.
- ✓ Manual humidity control.

Ideal for pastry shops, bakeries, and cafés thanks to their versatility, capable of operating with both pastry trays and gastronorm trays in the multifunction version.

The simplicity in design and use does not detract from the best technology to offer the user guaranteed performance and cooking results that meet the user's demands.

The SX convection ovens are designed to achieve uniform cooking for frozen bread, bake-off croissants, and delicate pastries.

The SX ovens guarantee high productivity with fast, even, and perfect cooking.

They are ideal for distribution, cafés, hotels, restaurants, etc., where compact size is important in the workspace.

INCLUDES

- ✓ Support for pastry trays 600 x 400 mm / GN 1/1.
- ✓ Manual humidity control.
- ✓ Halogen lighting.

OPTIONAL

- ☐ Support with guides.

SPECIFICATIONS

Capacity

Tray type: 600 x 400 - GN 1/1
Number of trays: 4
Space between trays: 75 mm
Maximum load per tray: 3 kg

Loading

Total loading: 5800 W

Cooking data

Maximum temperature: 280°C
Fans: 2
Speeds: 1
Manual humidifier: yes (3/4")
Multifunction oven (grill): yes

External dimensions (W x D x H)

External dimensions (W x D x H): 750 x 693 x 553mm
Net weight: 45 kg

Crated dimensions
774 x 764 x 682 mm
Gross weight: 50 kg

AVAILABLE MODELS

5120087 Snack convection oven SX-641G 400/50/3N

* Ask for special versions availability

MICROWAVE OVEN HM-910

900 W. Turntable. 24 l cavity.



SALES DESCRIPTION

- ✓ Ø 270 mm turntable.
- ✓ Stainless steel cabinet and cavity.
- ✓ 30 minutes manual timer.
- ✓ 6 power levels.
- ✓ Easy to use.

SPECIFICATIONS

Stainless steel interior: yes
Stainless steel exterior: yes
Revolving plate: yes
built-in ceramic base: no
Programmable: no
Timer (min-max): 0' - 30'
Revolving plate diameter: Ø 270 mm
Interior volume: 24 l
Grill: no
Electrical supply: 230 V / 50 Hz / 1~

Loading

- ✓ Microwave output power: 900 W
- ✓ Consumption: 1400 W

Internal dimensions

- ✓ Width: 340 mm
- ✓ Depth: 320 mm
- ✓ Height: 220 mm

External dimensions (W x D x H)

- ✓ Width: 483 mm
- ✓ Depth: 400 mm
- ✓ Height: 281 mm

Net weight: 13.6 kg

Noise level (1m.): <50 dB(A)

Crated dimensions
547 x 430 x 337 mm
Gross weight: 15 kg

AVAILABLE MODELS

5120035 Microwave oven HM-910 230/50/1

* Ask for special versions availability

MICROWAVE OVEN MO-1000

1000 W. Static ceramic base. 25 l.



SALES DESCRIPTION

Programmable microwave oven.
Easy to use commercial microwave oven. 1000 W
loading and 25 l cavity.

- ✓ Stainless steel cabinet and cavity.
- ✓ Programmable: 10 programmes.
- ✓ 1000 W magnetron.
- ✓ Static ceramic base gives more capacity to the oven.
- ✓ Easy to use.

SPECIFICATIONS

Timer (min-max): 0' - 60'

Interior volume: 25 l

Loading

- ✓ Microwave output power: 1000 W
- ✓ Consumption: 1550 W

Internal dimensions

- ✓ Width: 327 mm
- ✓ Depth: 346 mm
- ✓ Height: 200 mm

External dimensions (W x D x H)

- ✓ Width: 510 mm
- ✓ Depth: 430 mm
- ✓ Height: 310 mm

Net weight: 14.7 kg

Crated dimensions

579 x 460 x 362 mm

Gross weight: 16.5 kg

AVAILABLE MODELS

5120042 Microwave oven MO-1000 230/50/1

* Ask for special versions availability

MICROWAVE OVEN MO-1000M

1000 W. Static ceramic base. 25 l. "Easy" control board.



SALES DESCRIPTION

Microwave oven equipped with "Easy" control panel. Extremely easy to use. 1000 W loading and 25 l cavity.

- ✓ Stainless steel cabinet and cavity.
- ✓ User-friendly "Easy" control board.
- ✓ 1000W magnetron.
- ✓ Static ceramic base provides more capacity to the oven.
- ✓ Easy to use.

SPECIFICATIONS

Timer (min-max): 0' - 6'
Interior volume: 25 l

Loading

- ✓ Microwave output power: 1000 W
- ✓ Consumption: 1500 W

Internal dimensions

- ✓ Width: 327 mm
- ✓ Depth: 346 mm
- ✓ Height: 200 mm

External dimensions (W x D x H)

- ✓ Width: 510 mm
- ✓ Depth: 430 mm
- ✓ Height: 310 mm

Net weight: 14.7 kg

Crated dimensions

579 x 460 x 362 mm

Gross weight: 16.5 kg

AVAILABLE MODELS

5120044 Microwave oven MO-1000M 230/50/1

* Ask for special versions availability

MICROWAVE OVEN MO-1817S · “SCAN & GO” SYSTEM

1800 W. Static ceramic base with 2 magnetrons. 17 l cavity.



SALES DESCRIPTION

Microwave oven equipped with scanner for intelligent product detection.

Heavy-duty, programmable oven equipped with 2 magnetrons.

Microwave oven equipped with a barcode scanner for product barcode reading. Programming and microwave usage through barcode scanning enable maximum security and process standardization, ensuring consistent results at all times.

- ✓ Commercial model, equipped with 2 magnetrons.
- ✓ Stainless steel cabinet and cavity.
- ✓ The static ceramic base gives more capacity to the oven.
- ✓ Programmable. Easy to program and use.

SPECIFICATIONS

Timer (min-max): 0' - 60'

Interior volume: 17 l

Loading

- ✓ Microwave output power: 1800 W
- ✓ Consumption: 3000 W

Internal dimensions

- ✓ Width: 330 mm
- ✓ Depth: 310 mm
- ✓ Height: 175 mm

External dimensions (W x D x H)

- ✓ Width: 420 mm
- ✓ Depth: 560 mm
- ✓ Height: 341 mm

Net weight: 30 kg

Crated dimensions

640 x 507 x 416 mm

Gross weight: 32 kg

AVAILABLE MODELS

5120049 Microwave oven MO-1817S 230/50/1

** Ask for special versions availability*

MICROWAVE OVEN MO-1834

1800 W. Static ceramic base with 2 magnetrons. 34 l cavity.



SPECIFICATIONS

Timer (min-max): 0' - 60'

Interior volume: 34 l

Loading

✓ Microwave output power: 1800 W

✓ Consumption: 2800 W

Internal dimensions

✓ Width: 360 mm

✓ Depth: 409 mm

✓ Height: 225 mm

External dimensions (W x D x H)

✓ Width: 574 mm

✓ Depth: 526 mm

✓ Height: 368 mm

Net weight: 32.2 kg

Crated dimensions

580 x 530 x 370 mm

Gross weight: 34.3 kg

SALES DESCRIPTION

Heavy-duty, programmable, big-capacity microwave oven equipped with 2 magnetrons.

- ✓ Commercial model, equipped with 2 magnetrons.
- ✓ Stainless steel cabinet and cavity.
- ✓ The static ceramic base gives more capacity to the oven.
- ✓ Programmable. Easy to program and use.

INCLUDES

- ✓ Intermediate shelf.

AVAILABLE MODELS

5120045 Microwave oven MO-1834 230/50/1

* Ask for special versions availability

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: sir@nt-rt.ru || сайт: <https://sammic.nt-rt.ru/>